

4128 FIRST AID KIT - 4128 first aid kit

Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

4128 First Aid Kit (BZK wipes, FABC- SF00004238)

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First Aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

- **adults and children 2 years of age and older:**
- clean the affected area

- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

First Aid Burn Cream

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

First Aid Burn Cream

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

First Aid Burn Cream

Questions

1-800-430-5490

BZK

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK

Purpose

First aid antiseptic

BZK

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if

- irritation, redness or other symptoms develop
- the condition persists or gets worse

BZK***Directions***

- tear open packet and use as a washcloth

BZK***Other information***

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- do not reuse towelette

BZK***Inactive ingredients***

water

BZK***Questions***

1-800-430-5490

4128**SF00004238 Kit Contents**

LBL STOCK 6-3/8"X4"

1 LBL STOCK 3"x1-7/8"

4 BZK ANTISEPTIC WIPE, BULK

4 FIRST AID CREAM 1.0GR PKT EACH

1 KIT PP PROMOTIONAL FA KIT

10 ADH BANDAGE 3/8" X 1 1/2" DNX

8 PLASTIC BANDAGE 3/4" X 3"

2 WOVEN KNUCKLE BANDAGE

2 HEAVY FLEX LARGE PATCH 2" X 3"

First Aid Burn Cream**Principal Display Panel**



Principal Display Panel

47001083 Rev B	<div>Antiseptic Towelettes</div> <div>Honeywell</div> <div>02-16-35MD</div> <div>Antiseptic Towelettes</div> <div>Benzalkonium chloride First aid antiseptic</div> <div>Six-Saturated Towelettes</div> <div>Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917</div>
-------------------	--

47001083 Rev B	<div>Antiseptic Towelettes</div> <div>Honeywell</div> <table border="1"><tr><td colspan="2">Drug Facts</td></tr><tr><td>Active Ingredient Benzalkonium chloride 0.133% w/v</td><td>Purpose First aid antiseptic</td></tr><tr><td colspan="2">Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds</td></tr><tr><td colspan="2">Warnings For external use only</td></tr><tr><td colspan="2">When using this product • do not use in the eyes or apply over large areas of the body</td></tr><tr><td colspan="2">Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns</td></tr><tr><td colspan="2">Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse</td></tr><tr><td colspan="2">Do not use • longer than 1 week unless directed by doctor</td></tr><tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions • tear open packet, unfold and use as washcloth</td></tr><tr><td colspan="2">Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette</td></tr><tr><td colspan="2">Inactive ingredient water</td></tr><tr><td>Questions or comments</td><td>1-800-430-5490</td></tr></table>	Drug Facts		Active Ingredient Benzalkonium chloride 0.133% w/v	Purpose First aid antiseptic	Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds		Warnings For external use only		When using this product • do not use in the eyes or apply over large areas of the body		Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns		Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse		Do not use • longer than 1 week unless directed by doctor		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions • tear open packet, unfold and use as washcloth		Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette		Inactive ingredient water		Questions or comments	1-800-430-5490
Drug Facts																											
Active Ingredient Benzalkonium chloride 0.133% w/v	Purpose First aid antiseptic																										
Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds																											
Warnings For external use only																											
When using this product • do not use in the eyes or apply over large areas of the body																											
Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns																											
Stop use and consult a doctor if • irritation, redness or other symptoms develop • condition persists or gets worse																											
Do not use • longer than 1 week unless directed by doctor																											
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																											
Directions • tear open packet, unfold and use as washcloth																											
Other Information • store at room temperature 15° -30° C (59° -86° F) • do not reuse towlette																											
Inactive ingredient water																											
Questions or comments	1-800-430-5490																										

4128 Kit Label
SF00004238



Compact First Aid Kit

Distributed By



www.wisesafetyenv.com

4128 FIRST AID KIT

4128 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4128
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4128-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	4 PACKET	3.6 g
Part 2	4 PACKET	5.4 mL

Part 1 of 2

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information	
Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

Part 2 of 2
ANTISEPTIC TOWELETTE
benzalkonium chloride liquid

Product Information	
Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	09/18/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment			
Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4128)

Establishment			
Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0903)

Establishment			
Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501)

